

OHYES! Report for Lawrence County - 2019-2020



Suggested Citation:

Ohio Healthy Youth Environments Survey (OHYES!). (2020). *OHYES! Report for Lawrence County - 2019-2020*. Ohio Department of Mental Health and Addiction Services. <https://ohyes.ohio.gov/Results>

Contents

Background	1
About the OHYES!	1
About this Report	2
A. Demographics	4
B. Family, School, and Community Environment	8
1. Community Environments	8
2. Family and Peer Factors	10
3. Safety and Violence	12
4. School Climate and Safety	16
5. School Connectedness and Success	20
6. Prevention Message	22
7. Vehicle Safety	23
C. Health and Well-being	25
1. Body Mass Index and Physical Activity	25
2. Nutrition	27
3. Wellness Visit	29
4. Concussion	30
5. Sleep	31
D. Mental Health	32
1. Patient Health Questionnaire for Psychological Distress	32
2. Suicide	33
3. Coping Strategies	35
E. Substance Use	36
1. Alcohol	36
2. Tobacco and Vapor Products	42
3. Prescription Drugs	50
4. Over-the-Counter Medications	54
5. Marijuana	55
6. Illicit Drugs	61
F. Gambling	62
G. Sexual Health	65
1. Sexual Behavior	65

Background

Nationally, trends in youth behaviors and risk and protective factors are measured using school-based surveys such as the Monitoring the Future Survey (MTF) and the Centers for Disease Control and Prevention's Youth Risk Behavior Survey (YRBS) and Youth Tobacco Survey (YTS). These surveys provide valuable national and state-level data; however, they do not provide county or school district-level data. Communities have needed access to local data to address community-specific needs and to conduct health assessments. Over the years, they have deployed a wide variety of local surveys in an attempt to address these needs, often investing substantial resources to have private survey companies collect the local data. Having many different survey instruments means the results are then not always comparable across surveys nor over time, and counties and districts cannot usually benchmark results to state or regional samples. Consequently, communities across Ohio have repeatedly called for an inexpensive and valid survey of youth to guide local policy, program development, and implementation efforts.

About the OHYES!

Purpose

The Ohio Healthy Youth Environments Survey (OHYES!) is a collaborative effort of the Ohio Departments of Education, Health and Mental Health and Addiction Services, Ohio National Guard, and representatives from higher education, juvenile courts, foundations, and community service providers.

There are two main purposes of the OHYES! First, the OHYES! addresses the need for data on local trends in youth behaviors and risk and protective factors. Second, it helps community-based organizations meet federal grant reporting requirements, including ones from: Strategic Prevention Framework Partnerships for Success, Drug Free Communities, Safe Schools and Healthy Students, Communities that Care Grants, and the Substance Abuse and Mental Health Services Administration (SAMHSA) Prevention and Treatment Block Grant National Outcome Measures (NOMs). Additionally, the OHYES! data may help communities when applying for local grants through foundations such as the United Way. It may also help communities meet the requirements for local health department needs assessments.

Instrument

The OHYES! survey questions cover the following topics: Demographics, Alcohol, Tobacco and Vapor Products, Marijuana, Prescription Misuse and Illicit Drugs, Bullying, Safety and School Climate, Physical Health and Well-being, Mental Health and Suicide, Gambling, Parental Attitudes toward Substance Use, Community, Family and Peer Factors, and School Success. As part of a periodic review process, the instrument was revised for the 2019-2020 school year. Schools may administer the standard OHYES! survey instrument, which includes 110 questions. In addition, school districts may choose to use an optional version that includes eight sexual behavior questions that could be sensitive to some communities. This report includes all 119 items that appear on the optional version of the survey. Please see table notes for items that only appear on the optional version of the survey and are not asked when schools administer the standard version of the instrument. Currently, the survey instrument is only available in English. More information about the survey and copies of the survey instrument can be found on the OHYES! website at ohyes.ohio.gov.

Survey Administration

The OHYES! is a voluntary, web-based survey that is available to schools free of charge. The survey is scheduled to be conducted every four years, but may be administered more frequently if a community identifies a need. All students in Ohio schools in grades 7 through 12 (age 12 or older) are eligible to participate. Superintendents and principals are solicited to have their schools complete the survey; they select the grades and percentage of students in those grades to participate.

Confidentiality

Survey administrators are provided protocols to ensure the privacy and confidentiality of the survey participants. Since the OHYES! is a web-based application, no information is collected or stored on school servers, and individual identification numbers are not collected. The data from the web application is collected and stored on secured, encrypted, and password protected servers at the Ohio Department of Mental Health and Addiction Services (OhioMHAS).

Consent

Prior to the survey administration, parents are notified and provided information about the survey. Then, they have three weeks to submit an Opt-Out Form to exclude their child from participating. At the beginning of the survey, participating students are asked for their agreement to answer the survey questions. Students have the option to skip a question and quit the survey at any time.

About this Report

Participants

This report includes results for Lawrence County and all Ohio students who participated in the OHYES! survey during the 2019-2020 school year. The following school districts in Lawrence County participated in the OHYES! survey during the 2019-2020 school year: Chesapeake Union Exempted Village, Dawson-Bryant Local, Fairland Local, Ironton City School District, Rock Hill Local, South Point Local, Steubenville Diocese, Symmes Valley Local. For more information on OHYES! participation by school year, please visit the results section of the OHYES! website at ohyes.ohio.gov/Results.

Limitations

As a reminder, the OHYES! was designed to provide actionable local data for district superintendents and school principals based on a voluntary sample of surveyed youth. The OHYES! data were collected based on a descriptive, cross-sectional survey design with a non-probability sampling method. The voluntary nature of the survey means that the OHYES! results are not generalizable to all Ohio youth. Further, county-level OHYES! results may not represent all students in a given county or school district. Any interpretations from the OHYES! data must keep these limitations in mind. This report may not provide numbers that are an exact match to the reports available on the Ohio Department of Health (ODH) Public Health Data Warehouse. This is due to ODH data suppression rules and differing data subset criteria.

Report Preparation

Voinovich School of Leadership and Public Affairs
Ohio University
Building 21, The Ridges
Athens, OH 45701

Pacific Institute for Research and Evaluation
401 W. Main Street, Suite 2100
Louisville, KY 40202

OHYES! Information

Website: ohyes.ohio.gov

Email: info@ohyes.ohio.gov

Phone: (866) 563-6904

A. Demographics

OHHYES! participants

Table 1: Participants

Response	OHHYES!		County	
	n	%	n	%
Participants	35123	100.00	2940	100.00
Total	35123	100.00	2940	100.00

How old are you?

Table 2: Age

Response	OHHYES!		County	
	n	%	n	%
12 years old	5570	15.97	360	12.32
13 years old	6859	19.67	626	21.42
14 years old	6179	17.72	634	21.69
15 years old	5440	15.60	586	20.05
16 years old	5469	15.68	384	13.14
17 years old	4133	11.85	265	9.07
18 years old or older	1229	3.52	68	2.33
Total	34879	100.00	2923	100.00

Note that there were missing values of Age for 244 cases among OHHYES! participants and 17 cases among County participants.

What is your sex?

Table 3: Gender

Response	OHHYES!		County	
	n	%	n	%
Male	17330	49.60	1441	49.35
Female	16911	48.40	1418	48.56
Transgender	258	0.74	25	0.86
Gender Nonconforming	439	1.26	36	1.23
Total	34938	100.00	2920	100.00

Note that there were missing values of Gender for 185 cases among OHHYES! participants and 20 cases among County participants.

In what grade are you?

Table 4: School Grade

Response	OHYES!		County	
	n	%	n	%
7th grade	8362	24.04	554	19.02
8th grade	6273	18.04	652	22.39
9th grade	6042	17.37	603	20.71
10th grade	5229	15.03	588	20.19
11th grade	5602	16.11	252	8.65
12th grade	3210	9.23	262	9.00
Ungraded or other grade	63	0.18	1	0.03
Total	34781	100.00	2912	100.00

Note that there were missing values of School Grade for 342 cases among OHYES! participants and 28 cases among County participants.

Are you Hispanic or Latino?

Table 5: Hispanic Origin

Response	OHYES!		County	
	n	%	n	%
No	32002	93.42	2780	96.49
Yes	2255	6.58	101	3.51
Total	34257	100.00	2881	100.00

Note that there were missing values of Hispanic Origin for 866 cases among OHYES! participants and 59 cases among County participants.

What is your race? Note: Respondents could select all that apply.

Table 6: Race and Hispanic Origin

Response	OHYES!		County	
	n	%	n	%
Black (non-Hispanic)	2670	7.77	87	3.01
White (non-Hispanic)	23522	68.49	2211	76.43
Hispanic/Latino	2255	6.57	101	3.49
All other races (non-Hispanic)	2985	8.69	164	5.67
Multiple races (non-Hispanic)	2914	8.48	330	11.41
Total	34346	100.00	2893	100.00

Note that there were missing values of Race and Hispanic Origin for 777 cases among OHYES! participants and 47 cases among County participants.

Among those who identified as Hispanic or Latino: What is your race?

Table 7: Hispanic Origin and Race

Response	OHYES!		County	
	n	%	n	%
Hispanic - White	962	42.66	52	51.49
Hispanic - Black or African-American	239	10.60	3	2.97
Hispanic - Other	511	22.66	39	38.61
Hispanic - No Race Specified	543	24.08	7	6.93
Total	2255	100.00	101	100.00

Note that there were missing values of Hispanic Origin and Race for 0 cases among OHYES! participants and 0 cases among County participants.

Which of the following best describes you?

Table 8: Sexual Orientation

This question was not asked.

This item only appears on the optional version of the survey instrument. Possible item responses differed between the 2015-2019 and 2019-2020 surveys, and responses were coded to maintain consistency between the survey versions.

Do you have a disability or long-term health problem that keeps you from doing everyday activities?

Table 9: Have a disability or long-term health problem

Response	OHHYES!		County	
	n	%	n	%
No	30179	87.93	2542	87.53
Yes	1860	5.42	166	5.72
Not sure	2281	6.65	196	6.75
Total	34320	100.00	2904	100.00

Note that there were missing values of Have a disability or long-term health problem for 803 cases among OHHYES! participants and 36 cases among County participants.

Have you ever been told by a doctor, nurse or parent that you have a disability or long-term health problem?

Table 10: Notified by doctor, nurse, or parent of disability or long-term health problem

Response	OHHYES!		County	
	n	%	n	%
No	28309	82.82	2376	82.33
Yes	3512	10.27	300	10.40
Not sure	2360	6.90	210	7.28
Total	34181	100.00	2886	100.00

Note that there were missing values of Notified by doctor, nurse, or parent of disability or long-term health problem for 942 cases among OHHYES! participants and 54 cases among County participants.

How many times have you ever moved to a new address?

Table 11: Number of times moved to new address

Response	OHHYES!		County	
	n	%	n	%
0 times	8099	23.63	767	26.42
1 time	8502	24.81	641	22.08
2 times	4524	13.20	379	13.06
3 times	4635	13.52	369	12.71
4 or more times	8510	24.83	747	25.73
Total	34270	100.00	2903	100.00

Note that there were missing values of Number of times moved to new address for 853 cases among OHHYES! participants and 37 cases among County participants.

B. Family, School, and Community Environment

1. Community Environments

There are a lot of adults in my neighborhood (town, community) I could talk to about something important.

Table 12: There are a lot of adults in the neighborhood (town, community) to talk to about something important

Response	OHYES!		County	
	n	%	n	%
No	12585	45.24	1186	47.35
Yes	15236	54.76	1319	52.65
Total	27821	100.00	2505	100.00

Note that there were missing values of There are a lot of adults in the neighborhood (town, community) to talk to about something important for 7302 cases among OHYES! participants and 435 cases among County participants.

I do not participate in organized after-school activities because... **Note: Respondents could select all that apply.**

Table 13: Barriers to participation in after school activities.

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
Does not apply - I am able to participate ...	16011	27357	58.53	1492	2464	60.55
No activities interest me	4603	27357	16.83	406	2464	16.48
I do not like the group of students who are participating	2550	27357	9.32	228	2464	9.25
I'm afraid other kids would make fun of me	2790	27357	10.20	263	2464	10.67
I have no time because of school work	3640	27357	13.31	222	2464	9.01
I have no time because of a job	1417	27357	5.18	86	2464	3.49
I have no time because I have to do things for my family	1828	27357	6.68	143	2464	5.80
My parents won't let me	771	27357	2.82	80	2464	3.25
It costs too much	1763	27357	6.44	150	2464	6.09
I have no way to get to or home from activities	1665	27357	6.09	134	2464	5.44
I do not think I am good enough	3151	27357	11.52	298	2464	12.09
I was not chosen for the team	730	27357	2.67	56	2464	2.27
I have health conditions that make it difficult	827	27357	3.02	88	2464	3.57
I am concerned about my weight	1655	27357	6.05	201	2464	8.16

Note that there were missing values of Barriers to participation in after school activities for 7766 cases among OHYES! participants and 476 cases among County participants.

2. Family and Peer Factors

My parents talk to me about what I do in school.

Table 14: Level of agreement that parents talk to them about what they do in school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	1203	4.18	158	6.12
Disagree	1894	6.58	192	7.44
Neutral	5575	19.37	532	20.62
Agree	12171	42.29	1031	39.96
Strongly agree	7935	27.57	667	25.85
Total	28778	100.00	2580	100.00

Note that there were missing values of Level of agreement that parents talk to them about what they do in school for 6345 cases among OHYES! participants and 360 cases among County participants.

My parents push me to work hard at school.

Table 15: Level of agreement that parents push them to work harder at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	606	2.11	69	2.68
Disagree	819	2.85	95	3.70
Neutral	3861	13.45	365	14.20
Agree	10360	36.10	874	34.01
Strongly agree	13054	45.48	1167	45.41
Total	28700	100.00	2570	100.00

Note that there were missing values of Level of agreement that parents push them to work harder at school for 6423 cases among OHYES! participants and 370 cases among County participants.

During the past 12 months, how often did your parents check on whether you had done your homework?

Table 16: Frequency that parents check homework during the past year

Response	OHYES!		County	
	n	%	n	%
Never or almost never	5643	19.62	485	18.82
Sometimes	6550	22.77	502	19.48
Often	6426	22.34	497	19.29
All the time	10147	35.27	1093	42.41
Total	28766	100.00	2577	100.00

Note that there were missing values of Frequency that parents check homework during the past year for 6357 cases among OHYES! participants and 363 cases among County participants.

How often do your parents limit the times of day or length of time when you can use an electronic device for non-school related purposes?

Table 17: Frequency that parents limit electronics

Response	OHYES!		County	
	n	%	n	%
Never	10195	36.34	1146	45.33
Rarely	6865	24.47	554	21.91
Sometimes	6263	22.32	496	19.62
Often	4733	16.87	332	13.13
Total	28056	100.00	2528	100.00

Note that there were missing values of Frequency that parents limit electronics for 7067 cases among OHYES! participants and 412 cases among County participants.

3. Safety and Violence

I feel safe in my neighborhood (town, community).

Table 18: Feel safe in neighborhood

Response	OHYES!		County	
	n	%	n	%
No	2897	8.80	366	13.08
Yes	30016	91.20	2433	86.92
Total	32913	100.00	2799	100.00

Note that there were missing values of Feel safe in neighborhood for 2210 cases among OHYES! participants and 141 cases among County participants.

Adverse Childhood Experiences (ACEs) are categorized into two groups on the OHYES! ACE module: abuse and family/household challenges. Each category is further divided into multiple subcategories. ACEs are associated with violence victimization and perpetration, and health and opportunity across the lifespan. As the number of ACEs increase, so does the risk for negative outcomes.

Adverse Childhood Experiences (ACEs) by category.

Table 19: Adverse Childhood Experiences (ACEs) by category

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
Abuse						
Physical Abuse	2072	30332	6.83	175	2670	6.55
Emotional Abuse	8135	30332	26.82	662	2670	24.79
Household Challenges						
Witnessed Domestic Violence	2279	30332	7.51	258	2670	9.66
Household Mental Illness	7570	30697	24.66	701	2672	26.24
Household Substance Abuse	6656	30697	21.68	685	2672	25.64
Parental Separation or Divorce	11424	30332	37.66	1309	2670	49.03
Incarcerated Household Members	4103	30697	13.37	527	2672	19.72

Note that the number of missing values varies by ACE subcategory. Under some conditions you may not see a row for Sexual Abuse in the table. This is because these items only appear on the optional version of the survey instrument, and so either the participating school(s) did not complete that module or because students did not respond to the Sexual Abuse questions.

Number of Adverse Childhood Experiences

Table 20: Number of Adverse Childhood Experiences

Response	OHHYES!		County	
	n	%	n	%
0	13024	41.96	948	35.06
1	7575	24.40	687	25.41
2	3957	12.75	398	14.72
3	2573	8.29	265	9.80
4 or more	3911	12.60	406	15.01
Total	31040	100.00	2704	100.00

Note that there were missing values of Number of Adverse Childhood Experiences for 4083 cases among OHHYES! participants and 236 cases among County participants.

During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?

Table 21: Number of times someone you were dating or going out with physically hurt you on purpose during the past year

Response	OHHYES!		County	
	n	%	n	%
I did not date or go out with anyone during the past 12 months	14730	43.83	910	32.01
0 times	17063	50.78	1717	60.39
1 time	798	2.37	98	3.45
2 or 3 times	584	1.74	68	2.39
4 or 5 times	146	0.43	17	0.60
6 or more times	283	0.84	33	1.16
Total	33604	100.00	2843	100.00

Note that there were missing values of Number of times someone you were dating or going out with physically hurt you on purpose during the past year for 1519 cases among OHHYES! participants and 97 cases among County participants.

Among those who have dated in the past year: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?

Table 22: Number of times someone you were dating or going out with physically hurt you on purpose during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	17063	90.40	1717	88.83
1 time	798	4.23	98	5.07
2 or 3 times	584	3.09	68	3.52
4 or 5 times	146	0.77	17	0.88
6 or more times	283	1.50	33	1.71
Total	18874	100.00	1933	100.00

Note that there were missing values of Number of times someone you were dating or going out with physically hurt you on purpose during the past year for 0 cases among OHYES! participants and 0 cases among County participants.

Have you ever been forced to do sexual things that you did not want to do?

Table 23: Ever been forced to do sexual things that you did not want to do

This question was not asked.

This item only appears on the optional version of the survey instrument.

During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?

Table 24: Number of times someone you were dating or going out with forced you to do sexual things during the past year

This question was not asked.

This item only appears on the optional version of the survey instrument.

Among those who have dated in the past year: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?

Table 25: Number of times someone you were dating or going out with forced you to do sexual things during the past year

This question was not asked.

This item only appears on the optional version of the survey instrument.

4. School Climate and Safety

In the past year, how often did you feel safe and secure at school?

Table 26: Frequency felt safe at school during the past year

Response	OHYES!		County	
	n	%	n	%
Never	845	2.48	99	3.44
Rarely	1025	3.00	100	3.47
Sometimes	3979	11.65	391	13.57
Most of the time	16095	47.14	1263	43.84
All of the time	12197	35.73	1028	35.68
Total	34141	100.00	2881	100.00

Note that there were missing values of Frequency felt safe at school during the past year for 982 cases among OHYES! participants and 59 cases among County participants.

During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

Table 27: Number of days did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school

Response	OHYES!		County	
	n	%	n	%
0 days	30653	90.32	2581	90.02
1 day	1739	5.12	150	5.23
2 or 3 days	975	2.87	90	3.14
4 or 5 days	272	0.80	25	0.87
6 or more days	298	0.88	21	0.73
Total	33937	100.00	2867	100.00

Note that there were missing values of Number of days did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school for 1186 cases among OHYES! participants and 73 cases among County participants.

During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

Table 28: Number of times threatened by someone with a weapon on school property during the past year

Response	OHHYES!		County	
	n	%	n	%
0 times	30350	90.39	2601	91.71
1 time	1872	5.58	138	4.87
2 or 3 times	921	2.74	64	2.26
4 or 5 times	152	0.45	11	0.39
6 or more times	281	0.84	22	0.78
Total	33576	100.00	2836	100.00

Note that there were missing values of Number of times threatened by someone with a weapon on school property during the past year for 1547 cases among OHHYES! participants and 104 cases among County participants.

What types of bullying have you experienced in the past 12 months? Note: Respondents could select all that apply.

Table 29: Types of bullying experienced during the past year

	OHHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
Hit, kicked, punched, or people took belongings	2386	32848	7.26	220	2814	7.82
Teased, taunted, or called harmful names	7461	32848	22.71	650	2814	23.10
Spread mean rumors about or kept out of a group	6243	32848	19.01	577	2814	20.50
Teased, taunted, or threatened by e-mail, cell phone, or other electronic methods	2010	32848	6.12	185	2814	6.57
Nude or semi-nude pictures used to pressure someone to have sex that does not want to, blackmail, intimidate, or exploit another person	709	32848	2.16	90	2814	3.20
None of the above	22402	32848	68.20	1872	2814	66.52

Note that there were missing values of types of bullying experienced during the past year for 2275 cases among OHHYES! participants and 126 cases among County participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been bullied on school property?

Table 30: Bullied on school property during the past year

Response	OHYES!		County	
	n	%	n	%
No	4171	40.43	372	40.13
Yes	6145	59.57	555	59.87
Total	10316	100.00	927	100.00

Note that there were missing values of Bullied on school property during the past year for 130 cases among OHYES! participants and 15 cases among County participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been electronically bullied (texting, Instagram, Facebook, or other social media)?

Table 31: Electronically bullied during the past year

Response	OHYES!		County	
	n	%	n	%
No	6428	62.70	534	58.11
Yes	3824	37.30	385	41.89
Total	10252	100.00	919	100.00

Note that there were missing values of Electronically bullied during the past year for 194 cases among OHYES! participants and 23 cases among County participants.

Parentetical definition of electronically being bullied differed between the 2015-2019 and 2019-2020 surveys, where it was defined as “e-mail, chat rooms, instant messaging, websites, or texting” in the 2015-2019 survey.

During the past 12 months, how many times were you in a physical fight?

Table 32: Number of times in a physical fight during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	27254	82.66	2176	77.94
1 time	3366	10.21	366	13.11
2 to 5 times	1812	5.50	202	7.23
6 or more times	539	1.63	48	1.72
Total	32971	100.00	2792	100.00

Note that there were missing values of Number of times in a physical fight during the past year for 2152 cases among OHYES! participants and 148 cases among County participants.

Among those who were in a physical fight in the past 12 months: During the past 12 months, how many times were you in a physical fight on school property?

Table 33: Number of times in a physical fight on school property during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	3298	58.99	347	56.89
1 time	1642	29.37	196	32.13
2 to 5 times	516	9.23	56	9.18
6 or more times	135	2.41	11	1.80
Total	5591	100.00	610	100.00

Note that there were missing values of Number of times in a physical fight on school property during the past year for 126 cases among OHYES! participants and 6 cases among County participants.

5. School Connectedness and Success

During the past 12 months, how would you describe your grades in school?

Table 34: Academic performance during the past year

Response	OHYES!		County	
	n	%	n	%
Mostly A's	16987	49.67	1289	44.62
Mostly B's	10655	31.16	959	33.19
Mostly C's	3690	10.79	303	10.49
Mostly D's	736	2.15	39	1.35
Mostly F's	365	1.07	24	0.83
None of these grades	133	0.39	9	0.31
Not sure	1632	4.77	266	9.21
Total	34198	100.00	2889	100.00

Note that there were missing values of Academic performance during the past year for 925 cases among OHYES! participants and 51 cases among County participants.

I enjoy coming to school.

Table 35: Level of enjoyment in coming to school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	3916	13.54	490	18.97
Disagree	4213	14.57	382	14.79
Neutral	11568	40.01	1059	41.00
Agree	7381	25.53	514	19.90
Strongly agree	1835	6.35	138	5.34
Total	28913	100.00	2583	100.00

Note that there were missing values of Level of enjoyment in coming to school for 6210 cases among OHYES! participants and 357 cases among County participants.

I feel like I belong at my school.

Table 36: Level of belonging at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	2594	8.99	323	12.52
Disagree	3121	10.82	313	12.13
Neutral	8939	30.99	808	31.32
Agree	10557	36.60	799	30.97
Strongly agree	3633	12.60	337	13.06
Total	28844	100.00	2580	100.00

Note that there were missing values of Level of belonging at school for 6279 cases among OHYES! participants and 360 cases among County participants.

I can go to adults at my school for help if I needed it.

Table 37: Level of support from adults at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	2375	8.22	283	10.96
Disagree	3049	10.56	309	11.97
Neutral	7283	25.22	627	24.29
Agree	10445	36.17	850	32.93
Strongly agree	5725	19.83	512	19.84
Total	28877	100.00	2581	100.00

Note that there were missing values of Level of support from adults at school for 6246 cases among OHYES! participants and 359 cases among County participants.

My school provides various opportunities to learn about and appreciate different cultures and ways of life.

Table 38: Level of cultural opportunities available at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	1928	6.71	256	9.96
Disagree	2974	10.35	356	13.85
Neutral	8274	28.81	809	31.47
Agree	10708	37.28	843	32.79
Strongly agree	4839	16.85	307	11.94
Total	28723	100.00	2571	100.00

Note that there were missing values of Level of cultural opportunities available at school for 6400 cases among OHYES! participants and 369 cases among County participants.

6. Prevention Message

During the past 12 months, do you recall hearing, reading, or watching an advertisement about the prevention of substance use?

Table 39: Heard, read, or watched an advertisement about substance use prevention during the past year

Response	OHYES!		County	
	n	%	n	%
No	7458	25.49	826	31.95
Yes	21798	74.51	1759	68.05
Total	29256	100.00	2585	100.00

Note that there were missing values of Heard, read, or watched an advertisement about substance use prevention during the past year for 5867 cases among OHYES! participants and 355 cases among County participants.

During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians, whether or not they live with you?

Table 40: Discussed the dangers of substance use with parents during the past year

Response	OHYES!		County	
	n	%	n	%
No	11449	39.10	1187	45.97
Yes	17833	60.90	1395	54.03
Total	29282	100.00	2582	100.00

Note that there were missing values of Discussed the dangers of substance use with parents during the past year for 5841 cases among OHYES! participants and 358 cases among County participants.

7. Vehicle Safety

During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

Table 41: Number of times during the past 30 days rode in a car driven by someone who had been drinking

Response	OHYES!		County	
	n	%	n	%
0 times	29157	89.00	2525	90.57
1 time	1635	4.99	110	3.95
2 or 3 times	1218	3.72	87	3.12
4 or 5 times	223	0.68	21	0.75
6 or more times	529	1.61	45	1.61
Total	32762	100.00	2788	100.00

Note that there were missing values of Number of times during the past 30 days rode in a car driven by someone who had been drinking for 2361 cases among OHYES! participants and 152 cases among County participants.

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

Table 42: Number of times during the past 30 days drove a car when drinking

Response	OHYES!		County	
	n	%	n	%
I did not drive ... during the past 30 days	17911	55.34	1314	47.70
0 times	13981	43.20	1388	50.38
1 time	235	0.73	24	0.87
2 or 3 times	124	0.38	9	0.33
4 or 5 times	28	0.09	8	0.29
6 or more times	86	0.27	12	0.44
Total	32365	100.00	2755	100.00

Note that there were missing values of Number of times during the past 30 days drove a car when drinking for 2758 cases among OHYES! participants and 185 cases among County participants.

Among those reporting they did drive a car or other vehicle in the past 30 days: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

Table 43: Number of days during the past 30 days texted or emailed while driving

Response	OHYES!		County	
	n	%	n	%
0 days	10621	74.41	1100	76.98
1 or 2 days	1341	9.39	106	7.42
3 to 5 days	559	3.92	50	3.50
6 to 9 days	313	2.19	25	1.75
10 to 19 days	433	3.03	34	2.38
20 to 29 days	244	1.71	23	1.61
All 30 days	763	5.35	91	6.37
Total	14274	100.00	1429	100.00

Note that there were missing values of Number of days during the past 30 days texted or emailed while driving for 180 cases among OHYES! participants and 12 cases among County participants.

C. Health and Well-being

1. Body Mass Index and Physical Activity

Body Mass Index – Calculated from the respondent’s reported weight, height, and gender

Table 44: Body Mass Index

Response	OHYES!		County	
	n	%	n	%
Underweight	1024	3.30	80	2.97
Normal or Healthy Weight	20327	65.50	1460	54.19
Overweight	5057	16.30	519	19.27
Obese	4626	14.91	635	23.57
Total	31034	100.00	2694	100.00

Note that there were missing values of Body Mass Index for 4089 cases among OHYES! participants and 246 cases among County participants.

Body Mass Index was not calculated for respondents selecting transgender or gender nonconforming.

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Table 45: Number of days of physical activity of 60 plus minutes per day during the last week

Response	OHYES!		County	
	n	%	n	%
0 days	3447	11.85	257	9.92
1 day	1648	5.67	130	5.02
2 days	2260	7.77	128	4.94
3 days	2887	9.93	189	7.29
4 days	3732	12.83	308	11.89
5 days	4545	15.63	448	17.29
6 days	2922	10.05	252	9.73
7 days	7637	26.26	879	33.93
Total	29078	100.00	2591	100.00

Note that there were missing values of Number of days of physical activity of 60 plus minutes per day during the last week for 6045 cases among OHYES! participants and 349 cases among County participants.

During the past 12 months, on how many sports teams did you play?

Table 46: Number of sports teams played on during the past year

Response	OHYES!		County	
	n	%	n	%
0 teams	8693	30.55	847	33.14
1 team	7756	27.26	673	26.33
2 teams	6376	22.41	464	18.15
3 or more teams	5632	19.79	572	22.38
Total	28457	100.00	2556	100.00

Note that there were missing values of Number of sports teams played on during the past year for 6666 cases among OHYES! participants and 384 cases among County participants.

2. Nutrition

On average how many servings of fruits and vegetables do you have per day?

Table 47: Number of servings of fruits and vegetables eaten on an average day

Response	OHYES!		County	
	n	%	n	%
1 to 4 servings per day	22382	77.24	1924	74.46
5 or more servings per day	4106	14.17	294	11.38
0 – I do not like fruits or vegetables	1671	5.77	264	10.22
0 – I cannot afford fruits or vegetables	239	0.82	33	1.28
0 – I do not have access to fruits or vegetables	581	2.00	69	2.67
Total	28979	100.00	2584	100.00

Note that there were missing values of Number of servings of fruits and vegetables eaten on an average day for 6144 cases among OHYES! participants and 356 cases among County participants.

During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

Table 48: Number of times drank soda or pop during the past week

Response	OHYES!		County	
	n	%	n	%
I did not drink soda or pop during the past 7 days	9719	33.56	547	21.11
1 to 3 times during the past 7 days	12138	41.91	885	34.16
4 to 6 times during the past 7 days	2756	9.52	364	14.05
1 time per day	1792	6.19	256	9.88
2 times per day	1247	4.31	242	9.34
3 times per day	526	1.82	117	4.52
4 or more times per day	781	2.70	180	6.95
Total	28959	100.00	2591	100.00

Note that there were missing values of Number of times drank soda or pop during the past week for 6164 cases among OHYES! participants and 349 cases among County participants.

During the past 7 days, on how many days did you eat breakfast?

Table 49: Number of days ate breakfast during the past week

Response	OHYES!		County	
	n	%	n	%
0 days	4189	14.40	445	17.16
1 day	2190	7.53	216	8.33
2 days	3043	10.46	292	11.26
3 days	2336	8.03	264	10.18
4 days	2520	8.66	257	9.91
5 days	2525	8.68	245	9.45
6 days	2019	6.94	102	3.93
7 days	10269	35.30	772	29.77
Total	29091	100.00	2593	100.00

Note that there were missing values of Number of days ate breakfast during the past week for 6032 cases among OHYES! participants and 347 cases among County participants.

3. Wellness Visit

When was the last time you saw a doctor or a nurse for a check-up when you were not sick or injured?

Table 50: Recency of visiting doctor or a nurse for a check-up when you were not sick or injured

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	17801	61.66	1414	54.83
Between 12 and 24 months	2620	9.08	266	10.31
More than 24 months	1011	3.50	90	3.49
Never	2206	7.64	257	9.97
Not sure	5231	18.12	552	21.40
Total	28869	100.00	2579	100.00

Note that there were missing values of Recency of visiting doctor or a nurse for a check-up when you were not sick or injured for 6254 cases among OHYES! participants and 361 cases among County participants.

When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

Table 51: Recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	21315	74.27	1696	66.04
Between 12 and 24 months	2647	9.22	286	11.14
More than 24 months	1196	4.17	150	5.84
Never	650	2.26	95	3.70
Not sure	2890	10.07	341	13.28
Total	28698	100.00	2568	100.00

Note that there were missing values of Recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work for 6425 cases among OHYES! participants and 372 cases among County participants.

4. Concussion

During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

Table 52: Number of times suffered a concussion from playing sports or being physically active during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	24917	86.57	2227	86.45
1 time	2565	8.91	220	8.54
2 times	669	2.32	56	2.17
3 times	260	0.90	34	1.32
4 or more times	373	1.30	39	1.51
Total	28784	100.00	2576	100.00

Note that there were missing values of Number of times suffered a concussion from playing sports or being physically active during the past year for 6339 cases among OHYES! participants and 364 cases among County participants.

The 2015-2019 survey asked about concussions from any source, so it is not comparable to the 2019-2020 survey.

5. Sleep

On an average school night, how many hours of sleep do you get?

Table 53: Number of hours of sleep on average school night

Response	OHYES!		County	
	n	%	n	%
4 or less hours	2886	8.91	281	10.16
5 hours	3852	11.90	337	12.18
6 hours	6381	19.71	567	20.50
7 hours	8625	26.64	725	26.21
8 hours	7097	21.92	619	22.38
9 hours	2739	8.46	171	6.18
10 or more hours	794	2.45	66	2.39
Total	32374	100.00	2766	100.00

Note that there were missing values of Number of hours of sleep on average school night for 2749 cases among OHYES! participants and 174 cases among County participants.

D. Mental Health

1. Patient Health Questionnaire for Psychological Distress

Patient Health Questionnaire for Psychological Distress (PHQ-4)

Subscales were used to assess anxiety and depression. Participants answered two questions on anxiety and two questions on depression with responses that ranged from “Not at all” to “Nearly every day.” To create the subscales, each response was given a numerical value and the participant’s responses for the two questions were summed up (score range, 0 to 6). A score of three or greater was considered positive for screening purposes.

Responses from the two questions on anxiety and the two questions on depression were assigned values and combined for each participant (score range, 0 to 12). A score of 6 or greater was considered positive for screening purposes.

Table 54: Patient Health Questionnaire for Psychological Distress (PHQ-4)

Response	OHYES!		County	
	n	%	n	%
% with anxiety issues warranting further exploration by a mental health professional*	8635	26.86	742	26.90
% with depression issues warranting further exploration by a mental health professional*	6119	19.22	538	19.61
% with mental health issues warranting further exploration by a mental health professional*	6723	19.14	578	19.66

Note: *These cutoffs are based on published thresholds for the 95th percentile for the population on the PHQ-4, where survey items primarily assess depression and anxiety. These measures serve as a brief screening tool, as opposed to a comprehensive measure of mental health issues.

2. Suicide

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

Table 55: Felt sad or hopeless almost every day for two weeks or more in a row during the past year

Response	OHHYES!		County	
	n	%	n	%
No	22646	74.07	1928	71.73
Yes	7926	25.93	760	28.27
Total	30572	100.00	2688	100.00

Note that there were missing values of Felt sad or hopeless almost every day for two weeks or more in a row during the past year for 4551 cases among OHHYES! participants and 252 cases among County participants.

During the past 12 months, did you ever seriously consider attempting suicide?

Table 56: Seriously considered attempting suicide during the past year

Response	OHHYES!		County	
	n	%	n	%
No	26388	86.88	2289	86.34
Yes	3984	13.12	362	13.66
Total	30372	100.00	2651	100.00

Note that there were missing values of Seriously considered attempting suicide during the past year for 4751 cases among OHHYES! participants and 289 cases among County participants.

Among those who have seriously considered attempting suicide in the past 12 months: During the past 12 months, how many times did you actually attempt suicide?

Table 57: Number of times attempted suicide during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	2151	54.55	179	50.14
1 time	961	24.37	93	26.05
2 or 3 times	573	14.53	55	15.41
4 or 5 times	131	3.32	17	4.76
6 or more times	127	3.22	13	3.64
Total	3943	100.00	357	100.00

Note that there were missing values of Number of times attempted suicide during the past year for 41 cases among OHYES! participants and 5 cases among County participants.

Among those who attempted suicide in the past 12 months: If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

Table 58: Attempted suicide that resulted in injury, poisoning, or overdose that had to be treated during the past year

Response	OHYES!		County	
	n	%	n	%
No	1417	79.79	142	79.78
Yes	359	20.21	36	20.22
Total	1776	100.00	178	100.00

Note that there were missing values of Attempted suicide that resulted in injury, poisoning, or overdose that had to be treated during the past year for 16 cases among OHYES! participants and 0 cases among County participants.

3. Coping Strategies

When you are stressed out, how do you manage it? Note: Respondents could select all that apply.

Table 59: Stress management

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
I do not have any stress	4100	30961	13.24	437	2687	16.26
Through physical activity	15457	30961	49.92	1198	2687	44.59
Through meditation, prayer, or relaxation	6709	30961	21.67	572	2687	21.29
Participating in hobbies or community service	8120	30961	26.23	494	2687	18.38
Through creative expression	10059	30961	32.49	772	2687	28.73
Support from others	9689	30961	31.29	738	2687	27.47
Avoiding people who create drama	13479	30961	43.54	1255	2687	46.71
Limiting social media	4568	30961	14.75	416	2687	15.48

Note that there were missing values of Stress management for 4162 cases among OHYES! participants and 253 cases among County participants.

When was the last time you saw a doctor, nurse, therapist, social worker, or counselor for a mental health problem?

Table 60: Last time saw a health care provider for a mental health problem

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	8932	28.64	729	26.96
Between 12 and 24 months	1475	4.73	124	4.59
More than 24 months	1310	4.20	111	4.11
Never	15009	48.12	1333	49.30
Not sure	4465	14.32	407	15.05
Total	31191	100.00	2704	100.00

Note that there were missing values of Last time saw a health care provider for a mental health problem for 3932 cases among OHYES! participants and 236 cases among County participants.

E. Substance Use

1. Alcohol

How old were you when you had your first drink of alcohol other than a few sips?

Table 61: Age when first drank more than few sips of alcohol

Response	OHYES!		County	
	n	%	n	%
I have never had a drink of alcohol other than a few sips	20595	70.14	1686	66.17
8 or younger	1058	3.60	125	4.91
9 or 10 years old	769	2.62	79	3.10
11 or 12 years old	1388	4.73	152	5.97
13 or 14 years old	2541	8.65	272	10.68
15 or 16 years old	2573	8.76	202	7.93
17 years old or older	440	1.50	32	1.26
Total	29364	100.00	2548	100.00

Note that there were missing values of Age when first drank more than few sips of alcohol for 5759 cases among OHYES! participants and 392 cases among County participants.

Among those who have ever consumed alcohol: How old were you when you had your first drink of alcohol other than a few sips?

Table 62: Age when first drank more than few sips of alcohol

Response	OHYES!		County	
	n	%	n	%
8 or younger	1058	12.07	125	14.50
9 or 10 years old	769	8.77	79	9.16
11 or 12 years old	1388	15.83	152	17.63
13 or 14 years old	2541	28.98	272	31.55
15 or 16 years old	2573	29.34	202	23.43
17 years old or older	440	5.02	32	3.71
Total	8769	100.00	862	100.00

Note that there were missing values of Age when first drank more than few sips of alcohol for 0 cases among OHYES! participants and 0 cases among County participants.

During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 63: Consumed alcohol on one or more occasions during the past 30 days

Response	OHHYES!		County	
	n	%	n	%
No	25959	88.55	2229	87.58
Yes	3357	11.45	316	12.42
Total	29316	100.00	2545	100.00

Note that there were missing values of Consumed alcohol on one or more occasions during the past 30 days for 5807 cases among OHHYES! participants and 395 cases among County participants.

Among those who have ever consumed alcohol: During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 64: Consumed alcohol on one or more occasions during the past 30 days

Response	OHHYES!		County	
	n	%	n	%
No	5364	61.51	543	63.21
Yes	3357	38.49	316	36.79
Total	8721	100.00	859	100.00

Note that there were missing values of Consumed alcohol on one or more occasions during the past 30 days for 48 cases among OHHYES! participants and 3 cases among County participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have at least one drink of alcohol?

Table 65: Number of days consumed at least one drink of alcohol during the past 30 days

Response	OHYES!		County	
	n	%	n	%
1 or 2 days	1775	57.78	156	55.12
3 to 5 days	707	23.01	55	19.43
6 to 9 days	367	11.95	37	13.07
10 to 19 days	141	4.59	19	6.71
20 to 29 days	32	1.04	7	2.47
All 30 days	50	1.63	9	3.18
Total	3072	100.00	283	100.00

Note that there were missing values of Number of days consumed at least one drink of alcohol during the past 30 days for 285 cases among OHYES! participants and 33 cases among County participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have 4 or more drinks (for females) or 5 or more drinks (for males) of alcohol in a row, within a couple of hours?

Table 66: Number of days with 4/5 or more drinks of alcohol within a couple of hours during the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	1479	45.80	119	39.80
1 or 2 days	1117	34.59	109	36.45
3 to 5 days	362	11.21	36	12.04
6 to 9 days	170	5.26	19	6.35
10 to 19 days	62	1.92	9	3.01
20 to 29 days	10	0.31	2	0.67
All 30 days	29	0.90	5	1.67
Total	3229	100.00	299	100.00

Note that there were missing values of Number of days with 4/5 or more drinks of alcohol within a couple of hours during the past 30 days for 128 cases among OHYES! participants and 17 cases among County participants.

The 2015-2019 survey included different response options and asked about 5 or more drinks for both males and females, so responses are not directly comparable with responses to the 2019-2020 survey.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, how did you usually get your alcohol? Note: Respondents could select all that apply.

Table 67: How alcohol was obtained during the past 30 days

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
Bought alcohol in a store	264	3189	8.28	13	297	4.38
Bought alcohol at a public event	85	3189	2.67	17	297	5.72
Gave someone else money to buy alcohol for me	811	3189	25.43	102	297	34.34
Someone gave alcohol to me	1385	3189	43.43	136	297	45.79
Took alcohol from a store or family member	500	3189	15.68	43	297	14.48
Parent gave alcohol to me	768	3189	24.08	53	297	17.85
Friend's parent gave alcohol to me	377	3189	11.82	46	297	15.49
I got alcohol some other way	859	3189	26.94	84	297	28.28

Note that there were missing values of How alcohol was obtained during the past 30 days for 168 cases among OHYES! participants and 19 cases among County participants.

Among those who have consumed alcohol in the past 30 days: When do you usually drink alcohol?

Table 68: Time of day when usually drink

Response	OHYES!		County	
	n	%	n	%
Before school	32	1.00	1	0.33
During school	46	1.43	7	2.32
After school	112	3.49	11	3.64
Week nights	127	3.96	16	5.30
Weekends	2892	90.12	267	88.41
Total	3209	100.00	302	100.00

Note that there were missing values of Time of day when usually drink for 148 cases among OHYES! participants and 14 cases among County participants.

How much do you think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

Table 69: Perceived risk of having five or more drinks of an alcoholic beverage once or twice a week

Response	OHHYES!		County	
	n	%	n	%
No risk	3047	10.48	366	14.22
Slight risk	6038	20.76	615	23.89
Moderate risk	10798	37.13	888	34.50
Great risk	9202	31.64	705	27.39
Total	29085	100.00	2574	100.00

Note that there were missing values of Perceived risk of having five or more drinks of an alcoholic beverage once or twice a week for 6038 cases among OHHYES! participants and 366 cases among County participants.

How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 70: Perception of parental disapproval for having one or two drinks of alcohol nearly every day

Response	OHHYES!		County	
	n	%	n	%
Not at all wrong	1065	3.63	132	5.05
A little bit wrong	1664	5.67	169	6.47
Wrong	5112	17.43	498	19.07
Very wrong	21482	73.26	1813	69.41
Total	29323	100.00	2612	100.00

Note that there were missing values of Perception of parental disapproval for having one or two drinks of alcohol nearly every day for 5800 cases among OHHYES! participants and 328 cases among County participants.

How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 71: Perception of peer disapproval for having one or two drinks of alcohol nearly every day

Response	OHHYES!		County	
	n	%	n	%
Not at all wrong	2567	8.82	386	14.83
A little bit wrong	4637	15.93	508	19.52
Wrong	9082	31.20	767	29.48
Very wrong	12820	44.05	941	36.16
Total	29106	100.00	2602	100.00

Note that there were missing values of Perception of peer disapproval for having one or two drinks of alcohol nearly every day for 6017 cases among OHHYES! participants and 338 cases among County participants.

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

Table 72: Perception of disapproval for someone same age having one or two drinks of alcohol nearly every day

Response	OHHYES!		County	
	n	%	n	%
Neither approve nor disapprove	3686	12.72	451	17.41
Somewhat disapprove	5479	18.90	578	22.31
Strongly disapprove	19820	68.38	1562	60.29
Total	28985	100.00	2591	100.00

Note that there were missing values of Perception of disapproval for someone same age having one or two drinks of alcohol nearly every day for 6138 cases among OHHYES! participants and 349 cases among County participants.

2. Tobacco and Vapor Products

During the past 30 days, did you smoke all or part of a cigarette?

Table 73: Smoked all or part of a cigarette during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	29424	96.12	2539	94.81
Yes	1189	3.88	139	5.19
Total	30613	100.00	2678	100.00

Note that there were missing values of Smoked all or part of a cigarette during the past 30 days for 4510 cases among OHYES! participants and 262 cases among County participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, on how many days did you smoke cigarettes?

Table 74: Number of days smoked cigarettes during the past 30 days

Response	OHYES!		County	
	n	%	n	%
1 or 2 days	447	43.02	54	44.63
3 to 5 days	162	15.59	10	8.26
6 to 9 days	82	7.89	11	9.09
10 to 19 days	96	9.24	15	12.40
20 to 29 days	57	5.49	5	4.13
All 30 days	195	18.77	26	21.49
Total	1039	100.00	121	100.00

Note that there were missing values of Number of days smoked cigarettes during the past 30 days for 150 cases among OHYES! participants and 18 cases among County participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, how did you usually get your own cigarettes? Note: Respondents could select all that apply.

Table 75: How cigarettes were obtained during the past 30 days

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
I bought them in a store ...	182	1000	18.20	13	117	11.11
I got them on the Internet	48	1000	4.80	4	117	3.42
I bought them from a vending machine	38	1000	3.80	5	117	4.27
I gave someone else money to buy them for me	329	1000	32.90	31	117	26.50
I borrowed (or bummed) them from someone else	484	1000	48.40	54	117	46.15
A person 18 years or older gave them to me	300	1000	30.00	39	117	33.33
I took them from a store	39	1000	3.90	5	117	4.27
I took them from a family member	265	1000	26.50	29	117	24.79
I got them some other way	282	1000	28.20	38	117	32.48

Note that there were missing values of How cigarettes were obtained during the past 30 days for 189 cases among OHYES! participants and 22 cases among County participants.

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, snus or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal or Camel Snus?

Table 76: Number of days used chewing tobacco, snuff, or dip during the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	29771	97.74	2558	96.13
1 or 2 days	262	0.86	45	1.69
3 to 5 days	100	0.33	13	0.49
6 to 9 days	64	0.21	9	0.34
10 to 19 days	57	0.19	10	0.38
20 to 29 days	35	0.11	1	0.04
All 30 days	170	0.56	25	0.94
Total	30459	100.00	2661	100.00

Note that there were missing values of Number of days used chewing tobacco, snuff, or dip during the past 30 days for 4664 cases among OHYES! participants and 279 cases among County participants.

The 2015-2019 survey define other tobacco products as “chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal Bandits, or Copenhagen?”, so responses are not directly comparable with responses to the 2019-2020 survey.

During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

Table 77: Number of days smoked cigars, cigarillos, or little cigars during the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	29693	97.69	2570	96.62
1 or 2 days	353	1.16	42	1.58
3 to 5 days	104	0.34	10	0.38
6 to 9 days	71	0.23	13	0.49
10 to 19 days	48	0.16	4	0.15
20 to 29 days	33	0.11	8	0.30
All 30 days	94	0.31	13	0.49
Total	30396	100.00	2660	100.00

Note that there were missing values of Number of days smoked cigars, cigarillos, or little cigars during the past 30 days for 4727 cases among OHYES! participants and 280 cases among County participants.

Have you ever used an electronic vapor product?

Table 78: Ever used an electronic vapor product

Response	OHYES!		County	
	n	%	n	%
No	23687	77.83	1864	69.84
Yes	6749	22.17	805	30.16
Total	30436	100.00	2669	100.00

Note that there were missing values of Ever used an electronic vapor product for 4687 cases among OHYES! participants and 271 cases among County participants.

During the past 30 days, on how many days did you use an electronic vapor product?

Table 79: Number of days used an electronic vapor product during the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	26568	87.43	2135	80.11
1 or 2 days	1520	5.00	199	7.47
3 to 5 days	566	1.86	78	2.93
6 to 9 days	347	1.14	48	1.80
10 to 19 days	412	1.36	48	1.80
20 to 29 days	276	0.91	40	1.50
All 30 days	699	2.30	117	4.39
Total	30388	100.00	2665	100.00

Note that there were missing values of Number of days used an electronic vapor product during the past 30 days for 4735 cases among OHYES! participants and 275 cases among County participants.

Among those who have ever used vapor products: During the past 30 days, on how many days did you use an electronic vapor product?

Table 80: Number of days used an electronic vapor product during the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	2881	42.99	271	33.83
1 or 2 days	1520	22.68	199	24.84
3 to 5 days	566	8.45	78	9.74
6 to 9 days	347	5.18	48	5.99
10 to 19 days	412	6.15	48	5.99
20 to 29 days	276	4.12	40	4.99
All 30 days	699	10.43	117	14.61
Total	6701	100.00	801	100.00

Note that there were missing values of Number of days used an electronic vapor product during the past 30 days for 48 cases among OHYES! participants and 4 cases among County participants.

Among those who have ever used vapor products: During the past 30 days, how did you usually get your electronic vapor products? Note: Respondents could select all that apply.

Table 81: How vapor products were obtained during the past 30 days

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
I bought them in a store ...	632	5559	11.37	73	716	10.20
I got them on the Internet	268	5559	4.82	31	716	4.33
I gave someone else money to buy them for me	1253	5559	22.54	157	716	21.93
I borrowed them from someone else	3303	5559	59.42	393	716	54.89
A person who can legally buy ... them ...	1034	5559	18.60	130	716	18.16
I took them from a store or another person	167	5559	3.00	14	716	1.96
I got them some other way	1285	5559	23.12	185	716	25.84

Note that there were missing values of how vapor products were obtained during the past 30 days for 1190 cases among OHYES! participants and 89 cases among County participants.

Among those who have ever used vapor products: What are the main reasons you have used electronic vapor products? Note: Respondents could select all that apply.

Table 82: Reasons for using vapor products

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
Family member used them	1021	6143	16.62	138	755	18.28
Friend used them	3084	6143	50.20	363	755	48.08
I vape because I am bored	1740	6143	28.32	233	755	30.86
I vape because my friends pressure me to	649	6143	10.56	85	755	11.26
To try to quit using other tobacco products	399	6143	6.50	63	755	8.34
They cost less than other tobacco products	272	6143	4.43	51	755	6.75
They are easier to get than other tobacco products	397	6143	6.46	59	755	7.81
They are less harmful than other forms of tobacco	816	6143	13.28	130	755	17.22
They are available in flavors, such as mint, ...	1260	6143	20.51	197	755	26.09
I used them for some other reason	1977	6143	32.18	210	755	27.81

Note that there were missing values of Reasons for using vapor products for 606 cases among OHYES! participants and 50 cases among County participants.

How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

Table 83: Perceived risk of smoking one or more packs of cigarettes per day

Response	OHYES!		County	
	n	%	n	%
No risk	2581	8.94	265	10.39
Slight risk	3338	11.56	300	11.76
Moderate risk	6389	22.12	593	23.25
Great risk	16576	57.39	1392	54.59
Total	28884	100.00	2550	100.00

Note that there were missing values of Perceived risk of smoking one or more packs of cigarettes per day for 6239 cases among OHYES! participants and 390 cases among County participants.

How much do you think people risk harming themselves physically or in other ways if the use electronic vapor products every day?

Table 84: Perceived risk of daily use of electronic vapor products

Response	OHYES!		County	
	n	%	n	%
No risk	3222	11.17	362	14.17
Slight risk	6308	21.87	632	24.74
Moderate risk	8709	30.20	765	29.94
Great risk	10603	36.76	796	31.15
Total	28842	100.00	2555	100.00

Note that there were missing values of Perceived risk of daily use of electronic vapor products for 6281 cases among OHYES! participants and 385 cases among County participants.

How wrong do your parents feel it would be for you to smoke tobacco?

Table 85: Perception of parental disapproval for smoking tobacco

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	734	2.50	94	3.60
A little bit wrong	825	2.81	91	3.49
Wrong	3623	12.35	369	14.14
Very wrong	24148	82.33	2056	78.77
Total	29330	100.00	2610	100.00

Note that there were missing values of Perception of parental disapproval for smoking tobacco for 5793 cases among OHYES! participants and 330 cases among County participants.

How wrong do your parents feel it would be for you to use electronic vapor products?

Table 86: Perception of parental disapproval for electronic vapor products

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	928	3.17	142	5.44
A little bit wrong	1741	5.95	237	9.08
Wrong	5080	17.35	517	19.82
Very wrong	21532	73.54	1713	65.66
Total	29281	100.00	2609	100.00

Note that there were missing values of Perception of parental disapproval for electronic vapor products for 5842 cases among OHYES! participants and 331 cases among County participants.

How wrong do your friends feel it would be for you to smoke tobacco?

Table 87: Perception of peer disapproval for smoking tobacco

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	2339	8.04	347	13.35
A little bit wrong	3277	11.27	368	14.15
Wrong	8022	27.59	791	30.42
Very wrong	15441	53.10	1094	42.08
Total	29079	100.00	2600	100.00

Note that there were missing values of Perception of peer disapproval for smoking tobacco for 6044 cases among OHYES! participants and 340 cases among County participants.

How wrong do your friends feel it would be for you to use electronic vapor products?

Table 88: Perception of peer disapproval for electronic vapor products

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	5118	17.62	725	27.86
A little bit wrong	5351	18.42	519	19.95
Wrong	7024	24.18	562	21.60
Very wrong	11559	39.79	796	30.59
Total	29052	100.00	2602	100.00

Note that there were missing values of Perception of peer disapproval for electronic vapor products for 6071 cases among OHYES! participants and 338 cases among County participants.

3. Prescription Drugs

During your life, how many times have you taken any other prescription drug that was not a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

Table 89: Number of times taken a non-pain prescription drug without a doctor's prescription during lifetime

Response	OHYES!		County	
	n	%	n	%
0 times	28054	93.48	2437	92.24
1 or 2 times	1108	3.69	105	3.97
3 to 9 times	432	1.44	53	2.01
10 to 19 times	151	0.50	19	0.72
20 to 39 times	70	0.23	7	0.26
40 or more times	197	0.66	21	0.79
Total	30012	100.00	2642	100.00

Note that there were missing values of Number of times taken a non-pain prescription drug without a doctor's prescription during lifetime for 5111 cases among OHYES! participants and 298 cases among County participants.

During your life, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

Table 90: Number of times taken a prescription pain medication without a doctor's prescription during lifetime

Response	OHYES!		County	
	n	%	n	%
0 times	27813	92.85	2368	89.76
1 or 2 times	1301	4.34	158	5.99
3 to 9 times	439	1.47	57	2.16
10 to 19 times	166	0.55	22	0.83
20 to 39 times	88	0.29	11	0.42
40 or more times	147	0.49	22	0.83
Total	29954	100.00	2638	100.00

Note that there were missing values of Number of times taken a prescription pain medication without a doctor's prescription during lifetime for 5169 cases among OHYES! participants and 302 cases among County participants.

During the past 30 days, have you used prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

Table 91: Used prescription pain medicine without a doctor's prescription during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	29362	98.10	2557	96.93
Yes	568	1.90	81	3.07
Total	29930	100.00	2638	100.00

Note that there were missing values of Used prescription pain medicine without a doctor's prescription during the past 30 days for 5193 cases among OHYES! participants and 302 cases among County participants.

Among those who have taken a prescription pain medicine without a doctor's prescription. During the past 30 days, have you used prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

Table 92: Used prescription pain medicine without a doctor's prescription during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	1549	73.17	189	70.00
Yes	568	26.83	81	30.00
Total	2117	100.00	270	100.00

Note that there were missing values of Used prescription pain medicine without a doctor's prescription during the past 30 days for 24 cases among OHYES! participants and 0 cases among County participants.

Lifetime Prescription Drug Misuse/Abuse – Calculated

Table 93: Lifetime Prescription Drug Misuse/Abuse – Calculated

Response	OHYES!		County	
	n	%	n	%
No	26587	89.01	2254	85.70
Yes	3281	10.99	376	14.30
Total	29868	100.00	2630	100.00

Note that there were missing values of Lifetime Prescription Drug Misuse/Abuse – Calculated for 5255 cases among OHYES! participants and 310 cases among County participants.

These numbers were calculated by combining responses from two items inquiring about lifetime use of either (a) non-pain or (b) pain prescription medications without a prescription.

30-day Prescription Drug Misuse/Abuse – Calculated

Table 94: 30-day Prescription Drug Misuse/Abuse – Calculated

Response	OHYES!		County	
	n	%	n	%
No	29010	97.32	2510	95.55
Yes	798	2.68	117	4.45
Total	29808	100.00	2627	100.00

Note that there were missing values of 30-day Prescription Drug Misuse/Abuse – Calculated for 5315 cases among OHYES! participants and 313 cases among County participants.

These numbers were calculated by combining responses from two items inquiring about 30-day use of either (a) any or (b) pain prescription medications without a prescription. Unfortunately, due to a typographical error, past 30 day use of any medication without a prescription was only asked of those using non-pain medicines without a prescription in their lifetime. Nonetheless, these combined responses (i.e., yes to either item) should still represent a credible estimate of use of any medications without a prescription in the past 30 days.

Among those who have taken a prescription drug without a doctor's prescription: 30-day prescription drug misuse/abuse – Calculated

Table 95: Among those who have taken a prescription drug without a doctor's prescription: 30-day prescription drug misuse/abuse – Calculated

Response	OHYES!		County	
	n	%	n	%
No	2423	75.23	256	68.63
Yes	798	24.77	117	31.37
Total	3221	100.00	373	100.00

Note that there were missing values of Among those who have taken a prescription drug without a doctor's prescription: 30-day prescription drug misuse/abuse – Calculated for 60 cases among OHYES! participants and 3 cases among County participants.

These numbers were calculated by combining responses from two items inquiring about 30-day use of either (a) any or (b) pain prescription medications without a prescription. Unfortunately, due to a typographical error, past 30 day use of any medication without a prescription was only asked of those using non-pain medicines without a prescription in their lifetime. Nonetheless, these combined responses (i.e., yes to either item) should still represent a credible estimate of use of any medications without a prescription in the past 30 days.

How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

Table 96: Perceived risk of prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
No risk	1963	6.74	217	8.36
Slight risk	2736	9.40	243	9.36
Moderate risk	7700	26.45	705	27.17
Great risk	16716	57.41	1430	55.11
Total	29115	100.00	2595	100.00

Note that there were missing values of Perceived risk of prescription drug misuse/abuse for 6008 cases among OHYES! participants and 345 cases among County participants.

How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

Table 97: Perception of parental disapproval for prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	672	2.30	98	3.77
A little bit wrong	853	2.92	117	4.50
Wrong	3517	12.03	322	12.38
Very wrong	24203	82.76	2064	79.35
Total	29245	100.00	2601	100.00

Note that there were missing values of Perception of parental disapproval for prescription drug misuse/abuse for 5878 cases among OHYES! participants and 339 cases among County participants.

How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Table 98: Perception of peer disapproval for prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	1438	4.96	199	7.67
A little bit wrong	2259	7.80	217	8.36
Wrong	7138	24.64	675	26.00
Very wrong	18138	62.60	1505	57.97
Total	28973	100.00	2596	100.00

Note that there were missing values of Perception of peer disapproval for prescription drug misuse/abuse for 6150 cases among OHYES! participants and 344 cases among County participants.

4. Over-the-Counter Medications

During your life, how many times have you taken over-the-counter medications such as cold medicine, allergy medicine, or pain reliever to get high?

Table 99: Number of times taken over the counter medication to get high during lifetime

Response	OHYES!		County	
	n	%	n	%
0 times	27219	92.27	2361	90.88
1 or 2 times	719	2.44	77	2.96
3 to 9 times	504	1.71	48	1.85
10 to 19 times	354	1.20	45	1.73
20 to 39 times	220	0.75	17	0.65
40 or more times	482	1.63	50	1.92
Total	29498	100.00	2598	100.00

Note that there were missing values of Number of times taken over the counter medication to get high during lifetime for 5625 cases among OHYES! participants and 342 cases among County participants.

5. Marijuana

How old were you when you tried marijuana for the first time?

Table 100: Age when first tried marijuana

Response	OHYES!		County	
	n	%	n	%
I have never tried marijuana	26126	86.68	2262	85.62
8 years old or younger	155	0.51	23	0.87
9 or 10 years old	174	0.58	27	1.02
11 or 12 years old	608	2.02	68	2.57
13 or 14 years old	1352	4.49	128	4.84
15 or 16 years old	1492	4.95	117	4.43
17 years old or older	234	0.78	17	0.64
Total	30141	100.00	2642	100.00

Note that there were missing values of Age when first tried marijuana for 4982 cases among OHYES! participants and 298 cases among County participants.

Among those who have tried marijuana: How old were you when you tried marijuana for the first time?

Table 101: Age when first tried marijuana

Response	OHYES!		County	
	n	%	n	%
8 years old or younger	155	3.86	23	6.05
9 or 10 years old	174	4.33	27	7.11
11 or 12 years old	608	15.14	68	17.89
13 or 14 years old	1352	33.67	128	33.68
15 or 16 years old	1492	37.16	117	30.79
17 years old or older	234	5.83	17	4.47
Total	4015	100.00	380	100.00

Note that there were missing values of Age when first tried marijuana for 0 cases among OHYES! participants and 0 cases among County participants.

During the past 30 days, have you used marijuana or hashish?

Table 102: Used marijuana or hashish during the past 30 days

Response	OHYES!		County	
	n	%	n	%
I have never tried marijuana	26126	86.77	2262	85.84
Yes	1759	5.84	144	5.46
No	2223	7.38	229	8.69
Total	30108	100.00	2635	100.00

Note that there were missing values of Used marijuana or hashish during the past 30 days for 5015 cases among OHYES! participants and 305 cases among County participants.

Among those who have tried marijuana: During the past 30 days, have you used marijuana or hashish?

Table 103: Used marijuana or hashish during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	2223	55.83	229	61.39
Yes	1759	44.17	144	38.61
Total	3982	100.00	373	100.00

Note that there were missing values of Used marijuana or hashish during the past 30 days for 33 cases among OHYES! participants and 7 cases among County participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how many times did you use marijuana?

Table 104: Number of times used marijuana during the past 30 days

Response	OHYES!		County	
	n	%	n	%
1 or 2 times	577	33.98	43	31.85
3 to 9 times	421	24.79	32	23.70
10 to 19 times	229	13.49	19	14.07
20 to 39 times	169	9.95	19	14.07
40 or more times	302	17.79	22	16.30
Total	1698	100.00	135	100.00

Note that there were missing values of Number of times used marijuana during the past 30 days for 61 cases among OHYES! participants and 9 cases among County participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how did you usually use marijuana?

Table 105: Usual method of using marijuana

Response	OHYES!		County	
	n	%	n	%
I smoked it in a joint, bong, pipe, or blunt	1215	70.03	103	72.03
I ate it in food such as brownies, cakes, cookies, or candy	78	4.50	5	3.50
I drank it in tea, cola, alcohol, or other drinks	7	0.40	2	1.40
I vaporized it	378	21.79	27	18.88
I used it some other way	57	3.29	6	4.20
Total	1735	100.00	143	100.00

Note that there were missing values of Usual method of using marijuana for 24 cases among OHYES! participants and 1 cases among County participants.

Among those who have used marijuana in the past 30 days: When do you usually use marijuana?

Table 106: Time of day when usually use marijuana

Response	OHHYES!		County	
	n	%	n	%
Before school	65	3.79	5	3.52
During school	50	2.91	2	1.41
After school	328	19.10	28	19.72
Week nights	218	12.70	16	11.27
Weekends	1056	61.50	91	64.08
Total	1717	100.00	142	100.00

Note that there were missing values of Time of day when usually use marijuana for 42 cases among OHHYES! participants and 2 cases among County participants.

How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?

Table 107: Perceived risk of smoking marijuana once or twice per week

Response	OHHYES!		County	
	n	%	n	%
No risk	5540	19.01	617	23.72
Slight risk	6915	23.73	602	23.14
Moderate risk	7738	26.55	652	25.07
Great risk	8950	30.71	730	28.07
Total	29143	100.00	2601	100.00

Note that there were missing values of Perceived risk of smoking marijuana once or twice per week for 5980 cases among OHHYES! participants and 339 cases among County participants.

How wrong do your parents feel it would be for you to smoke marijuana?

Table 108: Perception of parental disapproval for smoking marijuana

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	1201	4.10	137	5.25
A little bit wrong	1826	6.24	164	6.28
Wrong	3430	11.71	314	12.02
Very wrong	22825	77.95	1997	76.45
Total	29282	100.00	2612	100.00

Note that there were missing values of Perception of parental disapproval for smoking marijuana for 5841 cases among OHYES! participants and 328 cases among County participants.

How wrong do your friends feel it would be for you to smoke marijuana?

Table 109: Perception of peer disapproval for smoking marijuana

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	4436	15.28	465	17.90
A little bit wrong	3881	13.37	362	13.93
Wrong	6180	21.29	623	23.98
Very wrong	14532	50.06	1148	44.19
Total	29029	100.00	2598	100.00

Note that there were missing values of Perception of peer disapproval for smoking marijuana for 6094 cases among OHYES! participants and 342 cases among County participants.

How do you feel about someone your age trying marijuana or hashish once or twice?

Table 110: Level of disapproval for someone same age trying marijuana or hashish once or twice

Response	OHHYES!		County	
	n	%	n	%
Neither approve nor disapprove	7463	25.69	686	26.36
Somewhat disapprove	5619	19.35	495	19.02
Strongly disapprove	15964	54.96	1421	54.61
Total	29046	100.00	2602	100.00

Note that there were missing values of Level of disapproval for someone same age trying marijuana or hashish once or twice for 6077 cases among OHHYES! participants and 338 cases among County participants.

How do you feel about someone your age using marijuana once a month or more?

Table 111: Level of disapproval for someone same age using marijuana once a month or more

Response	OHHYES!		County	
	n	%	n	%
Neither approve nor disapprove	7440	25.72	694	26.77
Somewhat disapprove	5692	19.68	531	20.49
Strongly disapprove	15798	54.61	1367	52.74
Total	28930	100.00	2592	100.00

Note that there were missing values of Level of disapproval for someone same age using marijuana once a month or more for 6193 cases among OHHYES! participants and 348 cases among County participants.

6. Illicit Drugs

During the past year, have you used any of the following? Note: Respondents could select all that apply.

Table 112: Illicit drugs used during the past year

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
did not use illicit drugs in past year	28217	29055	97.12	2447	2544	96.19
cocaine (powder, crack or freebase)	183	29055	0.63	22	2544	0.86
inhalants, sniffed glue, breathed aerosols paints or sprays to get high	322	29055	1.11	36	2544	1.42
heroin	81	29055	0.28	8	2544	0.31
methamphetamines	96	29055	0.33	15	2544	0.59
ecstasy	154	29055	0.53	19	2544	0.75
hallucinogenic drugs	287	29055	0.99	32	2544	1.26
steroid pills or shots without a prescription	83	29055	0.29	13	2544	0.51
synthetic marijuana	291	29055	1.00	32	2544	1.26

Note that there were missing values of Illicit drugs used during the past year for 6068 cases among OHYES! participants and 396 cases among County participants.

During the past 12 months, has anyone offered, sold, or given you an illegal drug at any of the following places? Note: Respondents could select all that apply

Table 113: Illegal drug solicitation during the past year

	OHYES!			County		
	Yes	Responses	Yes (%)	Yes	Responses	Yes (%)
On school property	1414	28908	4.89	97	2553	3.80
On the school bus	441	28908	1.53	32	2553	1.25
At a friend's house	1431	28908	4.95	116	2553	4.54
In my neighborhood	1150	28908	3.98	91	2553	3.56
At none of these locations	26046	28908	90.10	2338	2553	91.58

Note that there were missing values of Illegal drug solicitation during the past year for 6215 cases among OHYES! participants and 387 cases among County participants.

F. Gambling

During the past 12 months, how often did you gamble money or things while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or in internet gaming including skins or loot boxes?

Table 114: Frequency gambled money or personal items during the past year

Response	OHYES!		County	
	n	%	n	%
I did not gamble money or personal items	24210	85.78	2125	84.09
Less than once a month	2330	8.26	183	7.24
About once a month	914	3.24	102	4.04
About once a week	463	1.64	69	2.73
Daily	305	1.08	48	1.90
Total	28222	100.00	2527	100.00

Note that there were missing values of Frequency gambled money or personal items during the past year for 6901 cases among OHYES! participants and 413 cases among County participants.

Examples of gambling differed between the 2015-2019 and 2019-2020 surveys, where it was defined as “playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet” in the 2015-2019 survey.

Among those who have gambled in the past 12 months: During the past 12 months, how often did you gamble money or things while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or in internet gaming including skins or loot boxes?

Table 115: Frequency gambled money or personal items during the past year

Response	OHYES!		County	
	n	%	n	%
Less than once a month	2330	58.08	183	45.52
About once a month	914	22.78	102	25.37
About once a week	463	11.54	69	17.16
Daily	305	7.60	48	11.94
Total	4012	100.00	402	100.00

Note that there were missing values of Frequency gambled money or personal items during the past year for 0 cases among OHYES! participants and 0 cases among County participants.

Examples of gambling differed between the 2015-2019 and 2019-2020 surveys, where it was defined as “playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet” in the 2015-2019 survey.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever gambled more than you planned to?

Table 116: Gambled more than planned during the past year

Response	OHYES!		County	
	n	%	n	%
No	3148	79.06	287	71.75
Yes	834	20.94	113	28.25
Total	3982	100.00	400	100.00

Note that there were missing values of Gambled more than planned during the past year for 30 cases among OHYES! participants and 2 cases among County participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money or things?

Table 117: Felt bad about the amount bet or about what happens when betting during the past year

Response	OHYES!		County	
	n	%	n	%
No	3141	79.80	300	76.14
Yes	795	20.20	94	23.86
Total	3936	100.00	394	100.00

Note that there were missing values of Felt bad about the amount bet or about what happens when betting during the past year for 76 cases among OHYES! participants and 8 cases among County participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever hidden from family or friends any betting slips, I.O.U.s, lottery tickets, money or things that you have won, or other signs of gambling?

Table 118: Hidden from family or friends signs of gambling during the past year

Response	OHYES!		County	
	n	%	n	%
No	3638	92.57	347	89.43
Yes	292	7.43	41	10.57
Total	3930	100.00	388	100.00

Note that there were missing values of Hidden from family or friends signs of gambling during the past year for 82 cases among OHYES! participants and 14 cases among County participants.

Among those who have gambled in the past 12 months: Have you ever not been honest with people important to you about how much you gamble?

Table 119: Ever not been honest with important people about gambling

Response	OHYES!		County	
	n	%	n	%
No	3049	78.02	289	73.54
Yes	859	21.98	104	26.46
Total	3908	100.00	393	100.00

Note that there were missing values of Ever not been honest with important people about gambling for 104 cases among OHYES! participants and 9 cases among County participants.

“Not been honest with” was worded as “lied to” in the 2015-2019 survey.

G. Sexual Health

1. Sexual Behavior

Have you ever had sexual intercourse?

Table 120: Ever had sexual intercourse

This question was not asked.

This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

Table 121: Method of pregnancy prevention during last sexual intercourse

This question was not asked.

This item only appears on the optional version of the survey instrument. The 2019-2020 survey included the response option “Not applicable”, which was not included in the 2015-2019 survey. The 2015-2019 survey included the response option “I have never had sexual intercourse”, which was not included in the 2019-2020 survey.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, did you or your partner use a condom?

Table 122: Used a condom during last sexual intercourse

This question was not asked.

This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: During the past 3 months, with how many people did you have sexual intercourse?

Table 123: Number of sexual intercourse partners during the past 3 months

This question was not asked.

This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

Table 124: Drank alcohol or used drugs before last sexual intercourse

This question was not asked.

This item only appears on the optional version of the survey instrument.